

BEKENDIYEV, G.B.; MELIKOV, M.M.; ASHRAFOV, M.A.; DANIELYANTS, A.A.

Azerbaijan machine manufacturers are facing new problems. Azerb.  
neft. khoz. 39:28-31 Ap '60. (MIRA 13:11)  
(Azerbaijan--Oil fields--Equipment and supplies)

EFENDIYEV, G.E.

Efficient use of three-roller bits with different types of  
reinforcement. Azerb.neft.khoz. 41 no.2:40-42 F '62.

(MIRA 15:8)

(Oil well drilling—Equipment and supplies)

EFENDIYEV, G.E.

Wear of the teeth of roller bits. Azerb.neft.khoz. 41 no.5:  
39-42 My '62. (MIRA 16:2)  
(Oil well drilling—Equipment and supplies)  
(Mechanical wear)

23358 S/058/61/000/006/046/063  
A001/A101

9.4120 (1003, 1140)

AUTHOR: Efendiyev, O.I.

TITLE: The magnetic field effect on the nature of anode oscillations in discharge in inert gases

PERIODICAL: Referativnyy zhurnal. Fizika, no. 6, 1961, 344, abstract 6Zh128  
("Uch. zap. Azerb. un-t. Fiz.-matem. i khim. ser.", 1958, no. 2, 19-25, Russian summary)

TEXT: The author investigated the effect of a weak (up to 900 oersted) magnetic field applied to an anode region, on anode oscillations. It is shown that in the case of low pressures, ordered oscillation become less ordered after the application of a magnetic field. At relatively high pressures (0.4 mm Hg), magnetic field considerably increases oscillation frequency, without changing their shape. The curves of dependence of oscillation amplitude and frequency on magnetic field are presented. The author presents also the curves of changes in anode voltage drop; they have a minimum shifting towards weak magnetic fields at increasing gas pressure. The magnetic field effect on the oscillation characteristics is explained by the mechanism proposed by the author earlier (RZhFiz, 1958, no. 7, 16063).  
Card 1/1 [Abstracter's note: Complete translation]

S/058/63/000/001/050/120  
A160/A101

EFENDIYEV, G. I.

AUTHOR: Efendijev, G. I.

TITLE: The possibility of a formation of traveling layers in a mercury discharge

PERIODICAL: Referativnyy zhurnal, Fizika, no. 1, 1963, 11, abstract 1052  
("Uch. zap. Azerbajjan un-t. Ser. Fiz.-matem. n.", no. 5, 1961,  
137 - 144, Azerbaijan; summary in Russian)

TEXT: Investigated was the condition of a formation of traveling layers in a low-pressure mercury discharge at direct current. The experiments were conducted in an arc discharge in Hg vapors with a liquid cathode in a wide range of a pressure change  $4.89 \cdot 10^{-4} \div 2.54 \cdot 10^{-2}$  mm of the mercury column) and discharge current ( $0.1 \div 7$  a). The results of the investigation revealed that traveling layers do not arise in pure Hg vapors. There are even no possibilities of producing them artificially by acting on the various parts of the discharge. When contaminating the Hg vapors with molecular gas, both traveling and stationary layers will simultaneously arise. The traveling layers move in the positive column with a non-  
Card 1/2

The possibility of a formation of...

S/058/63/000/001/050/120  
A160/A101

constant speed. With the help of the external alternating electric field it is possible to synchronize the irregular traveling layers existing in the discharge. Hereby, the layers become most sharp. Even in impure mercury vapors the traveling layers are not always observed. The appearance of traveling layers not only depends on the impurity degree, but also on the discharge conditions. The traveling layers generally arise in a narrow region of the discharge currents. Their values depend on the pressure of the mercury vapors. The frequency, the length and the speed of the traveling layers are to be found in the intervals of 1,000 - 5,000 cps, 4 - 10 cm and 100 - 500 m/sec respectively.

[Abstracter's note: Complete translation]

Card 2/2

TEVOSOV, S.P.; ZUL'FUTAROV, Z.G.; DANILOVA, N.A.; EFENDIYEV, G., <sup>Kh</sup>redaktor

[Desorption of iodine from coal by electrochemical methods]  
Elektrokhimicheskiĭ metod desorbtsii ioda s uгля. Baku, Izd-vo  
Akad. nauk Azerbaidzhanskoi SSR, 1951. 54 p. (MLRA 7:11)  
(Iodine) (Electrochemistry, Industrial)

bitumens and bituminous formations were analyzed at locations on the Apsheron Peninsula from traces to 0.0007%. The V content of the ash varied from traces to 0.0007%. Small quantities of V were found in all clayey and sandy clay formations of the productive stratum. In most instances it did not exceed  $1 \times 10^{-5}\%$ . Only in clayey strata did it reach  $5 \times 10^{-4}\%$ .



"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6

APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6"

BEKENDIYEV, G.Kh.; TIL'MAN, A.L., red.izd-va; POGOSOV, V.A., tekhn.red.

[Hydrothermal ore complex in the northeastern part of the  
Lesser Caucasus; mineralogy and geochemistry] Gidrotermal'nyi  
rudnyi kompleks severo-vostochnoi chasti Malogo Kavkaza; mine-  
ralogiia i geokhimiia. Baku, Izd-vo Akad.nauk Azerbaidzhanskoi  
SSR, 1957. 342 p. (MIRA 15:2)  
(Caucasus--Ore deposits)

ZEYNALOV, B.K.; EFENDIYEV, G.Kh.; ABDULLAYEVA, E.E.; GANF, K.L.

Azerbaijan copals. Report No.1. Trudy Inst. khim. AN Azerb.  
SSR 16:46-62 '57. (MIRA 12:9)  
(Azerbaijan--Copal)

ZEYNALOV, B.K.; EFENDIYEV, G.Kh.; GASANOVA, G.A.; ALIYEVA, E.

Azerbaijan copals. Report No.2. Trudy Inst.khim. AN Azerb,  
SSR 16:63-80. '57. (MIRA 12:9)  
(Azerbaijan--Copal)

EFENDIYEV, G. KH

21N/5  
622.1  
.E2

Gidrotermal'nyy rudnyy kompleks severo-vostochnoy chasti malogo  
Kavkaza: Mineralogiya i geokhimiya Hydrothermal ore complex  
in the north-west part of the Lesser Caucasian Mountains:  
Minerology and geo-chemistry Baku, Izd-vo. ANazSSR, 1957.

346 p. diagrs., illus., tables. Bibliography: p. 291-299.  
At head of title-page: Akademiya Nauk Azerbaydzhanskoy SSR,  
Baku.  
Institut Geologii.

EFENDIYEV, G.Kh.

Geochemistry of germanium. Izv. AN Azerb. SSR, Ser. Fiz-tekhn. i khim. nauk.  
no.1:73-82 '58. (MIRA 12:3)  
(Germanium)

GEYDAROV, A.S.; EFENDIYEV, G.Kh.

Geochemistry of molybdenum in natural waters. Uch. zap. AGU no.1:  
95-102 '58. (MIRA 12:1)  
(Water--Composition) (Molybdenum)

ABDULLAYEV, R.N.; AZIZBEKOV, Sh.A.; BAYRAMALIHEYLI, E.T.; KASHKAY, M.A.;  
KERIMOV, A.D.; KERIMOV, G.I.; MUSTAFABEYLI, M.A.; SITKOVSKIY, I.N.;  
SHIRVANZADE, I.A.; SHIKHALIHEYLI, E.Sh.; EFENDIYEV, G.Kh.

Principal metallogenetic characteristics of Azerbaijan [with summary  
in English]. Sov. geol. 1 no.4:98-110 Ap '58. (MIRA 11:6)

1.Geologicheskiy institut AN AzerSSR.  
(Azerbaijan--Ore deposits)



EFENDIYEV, G.Kh.; RZAZADE, P.F.

Extraction of boron from waste brines. Dokl. AN Azerb. SSR 14  
no.2:109-114 '58. (MIRA 11:4)

1. Institut khimii AN AzerSSR. Predstavleno akademikom AN AzerSSR  
M.F. Nagiyevym. (Boron) (Extraction (Chemistry))

NURIYEV, A.N.; EFENDIYEV, G.Kh.

Radioactive elements in reservoir waters of Azerbaijan oil  
fields. Azerb.khim.zhur. no.1:35-43 '59.

(MIRA 13:6)

(Azerbaijan--Oil field brines--Analysis)

(Radioactive substances--Analysis)

AFENDIYEV, G.Kh.; ALEKPEROV, R.A.

Studying the distribution of uranium in the system petroleum-  
aqueous solutions. Azerb.khim.shur. no.2:137-143 '59.  
(MIRA 13:6)

(Uranium) (Petroleum)

S/081/62/000/003/028/090  
B150/B101

AUTHORS: G. Efendiyev, A. Kh., Nuriyev, E. N., Heyrerov, E. S.

TITLE: The distribution of uranium in the Dalidag intrusive massif

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 3, 1962, 123, abstract  
3063 (Uch. zap. Azerb. un-t Geol. geogr. ser., no. 6, 1959,  
3 - 10)

TEXT: In the bi-phase intrusive massif 144 samples were selected in which the content of uranium was determined. Ranges obtained:  $(0.5 - 10) \cdot 10^{-4}\%$  in average content in primary phase rocks,  $2.6 \cdot 10^{-4}\%$ , in rocks of the second phase  $4.58 \cdot 10^{-4}\%$ . The dependence is established of the concentration of U upon the acidity of the rocks. A study is made of the distribution of U in rock-forming minerals. In leucocratic minerals its content is low, but it increases in proportion with the increase in volume of the quartz-feldspar mass. Nevertheless, in all 37 - 40% of all the U contained in the rocks is contained in these minerals. The remaining portion of U is concentrated in the accessory and dark-colored minerals. Abstracter's Card 1/2

The distribution of uranium...

S/081/62/000/003/028/090  
B150/B101

note: Complete translation.

Card 2/2

EFENDIYEV, G.Kh.; GEYDAROV, A.S.

Geochemistry of molybdenum in the Dali-Dag intrusive (Lesser  
Caucasus). Izv.AN Azerb.SSR. Ser.geol.-geog.nauk no.6:91-101  
'59. (MIRA 15:4)  
(Caucasus--Molybdenum)

EFENDIYEV, G.Kh.; NURIYEV, A.N.

Interface distribution of radium and uranium (petroleum - water).  
Azerb.khim.zhur. no.6:105-108 '59. (MIRA 14:9)  
(Petroleum--Analysis) (Radium--Analysis)  
(Uranium--Analysis)

3(5), 5(2)

## AUTHORS:

Aleksperov, R. A., Efendiyev, G. Kh. SOV/7-59-6-4/17

## TITLE:

On the Uranium Content in Petroleums

## PERIODICAL:

Geokhimiya, 1959, Nr 6, pp 513 - 517 (USSR)

## ABSTRACT:

56 samples from various tertiary series of Azerbaydzhan were investigated. Uranium was separated according to P. N. Zharov's method and determined by luminescence analysis. The contents vary considerably between 0.2 and 50.0 microgram uranium per liter petroleum and 1.0 and  $500 \cdot 10^{-4}$  % uranium in ash respectively (Table). In this connection the correlation between the uranium- and ash contents of the petroleums were determined (Table, Fig 1). Furthermore, the uranium content of the accompanying bed waters were determined. A diagram comparing the uranium content in water with the uranium content in petroleum shows (Fig 2) that petroleum contains generally more uranium, especially in hard calcium-magnesium-chloride waters. The extraction of uranium from petroleum by solutions of  $\text{CaCl}_2$ ,  $\text{MgCl}_2$ ,  $\text{NaCl}$ , and  $\text{NaHCO}_3$  of a varying degree of intensity was experimentally investigated (Fig 3). The diagram shows that the extracted amount of uranium decreases with the given order of

Card 1/2



On the Uranium Content in Petroleums

SOV/7-59-6-4/17

salt solutions. Finally, the origin of uranium is investigated. In this connection the mother substance of petroleum or the surrounding sediments are considered as the origin. In the region of Apsheron the latter contain 4.1 to  $2.55 \cdot 10^{-4}$  % uranium. It is difficult to decide which of the two factors prevails. Papers by V. A. Unkovskaya, J. J. Clogoczowski, Academician V. I. Vernadskiy, A. N. Nuriyev, F. A. Alekseyev, V. I. Yermakov, V. A. Filonov, V. I. ~~Baranov~~, A. B. Ronov, and K. G. Kunasheva are mentioned. There are 3 figures, 1 table, and 10 references, 8 of which are Soviet.

ASSOCIATION: Institut khimii AN AzerbSSR, Baku (Institute of Chemistry of the AS Azerbaydzhanskaya SSR)

SUBMITTED: March 3, 1959

Card 2/2

ALEKPEROV, R.; EFENDIYEV, G.Kh.

Form in which uranium is found in certain kerogen shales.

Dokl. AN Azerb. SSR 15 no.9:821-824 '59. (MIRA 13:2)

1. Predstavleno akademikom AN Azerbaydzhanskoy SSR M.F. Nagiyevym.  
(Uranium) (Shale)

S/081/61/000/022/040/076  
B110/B101

AUTHORS: Efendiyev, G. Kh., Karayev, Z. Sh.

TITLE: Extraction of selenium from slimes by the sulfide method

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 22, 1961, 281, abstract  
22K48 (Azerb. khim. zh., no. 5, 1960, 99-106)

TEXT: The authors give results of Se extraction from slimes of a sulfuric acid plant operating by the contact process. The slime contains a small amount of  $PbSO_4$ . The method of Se extraction from slimes by sodium sulfide is based on formation of an unstable compound of the type  $Na_2SSe$  between Se and sodium sulfide; this compound decomposes readily with separation of elementary Se. Under established conditions, the degree of extraction is 98-99% of the Se content in the slime. The authors discuss the chemism of Se separation from the selenium sulfide complex in  $Na_2S$  solution. [Abstracter's note: Complete translation.] ✓

Card 1/1

S/137/62/000/005/034/150  
A006/A101

AUTHORS: Karayev, Z. Sh., Efendiyev, G. Kh.

TITLE: Extracting selenium with ammonium sulfide from slimes as a means of obtaining pure selenium

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 5, 1962, 19, abstract 50115 ("Azerb. khim. zh.", 1961, no. 5, 119 - 123, Azerb. summary)

TEXT: A batch of crushed and dried slime was placed in the reactor. A corresponding volume of a  $(\text{NH}_4)_2\text{S}$  solution was added. Reaction  $(\text{NH}_4)_2\text{S} + x\text{Se} = (\text{NH}_4)_2\text{SSe}_x$  proceeds at room temperature. Slime processing with  $(\text{NH}_4)_2\text{S}$  solution was conducted in a hermetically sealed unit. The Se suspension was mixed in the  $(\text{NH}_4)_2\text{S}$ -solution for 2 - 4 minutes by passing  $\text{N}_2$  through the solution upwards at a rate of 20 l/hour. After completed processing of the slime, the solution was filtered off from the solid residue. At a 30% Se content in the slime, the Se maximum yield (96 - 98%) is attained at a molecular ratio  $\text{Se} : (\text{NH}_4)_2\text{S} = 1 : 6$ . Separation of Se out of the solution was performed by various means: with the aid of thermal decomposition of  $(\text{NH}_4)_2\text{SSe}$ , decomposition by air; and separation-

Card 1/2

Extracting selenium with...

S/137/62/000/005/034/150  
A006/A101

out of Se by holding the solution in open air. The purity of Se obtained is on the average about 99.00%.

G. Svodtseva

[Abstracter's note: Complete translation]

Card 2/2

SHIK, E.I.; EFENDIYEV, G.Kh.

Radioactive chemical elements in mineral waters of Chukhuryurd  
springs. Trudy Inst.khim.AN Azerb. SSR 19:130-134 '61.

(MIRA 14:10)

(Chukhuryurd—Radioactive substances)

EPHEDRINE, C.I.R.; GENDRON, I.I.

Series of polyketide occurring in rocks. Study Inst. Min. H.  
Amer. Soc. 19:135-153 '61. (Molybdenum)

ALIKHANOV, E.N.; ARUSHANOV, N.A.; AKHUNDOV, V.Yu.; ALIZADE, M.A.; AZIZBEKOV, Sh.A.; BAGIROV, M.A.; VEZIROV, S.A.; VOLOBUYEV, V.R.; VEKILOV, F.M.; GADZHIYEV, N.M.; GUSEYNOV, D.M.; GUSEYNOV, I.A.; DADASHEV, K.K.; DADASHZADE, M.A.; DALIN, M.A.; ISKENDEROV, M.A.; KAZIYEV, M.A.; KARAYEV, A.I.; KASHKAY, M.S.; KEL'DYSH, M.V.; KERIMOV, A.G.; LEMBERANSKIY, A.D.; MAMEDOV, G.K.; MEKHTIYEV, M.R.; MIRZOYEV, S.A.; NAGIYEV, M.F.; NASRULLAYEV, N.I.; OGUDZHEV, A.K.; RADZHABOV, R.A.; RUDNEV, K.N.; SADYKHOV, R.N.; SEMENOV, N.N.; TOPCHIEV, A.V.; TOPCHIBASHEV, M.A.; TAIROVA, T.A.; KHALILOV, Z.I.; EFENDIYEV, G.Kh.; SHUKYUROVA, Z.Z.

IUsif Geidarovich Mamedaliev. Azerb.khim.zhur. no.6:5-6 '61.  
(MIRA 15:5)  
(Mamedaliev, IUsif Geidarovich, 1905-1961)



ALIKHANOV, F.N.; ARUSHANOV, N.A.; AKHUNDOV, V.Yu.; ALIZADE, M.A.; AZIZBEKOV, Sh.A.; FAGIROV, M.A.; VEZIROV, S.A.; VOLOBUYEV, V.R.; BEKILOV, F.M.; GADZHIYEV, N.M.; GUSEYNOV, D.M.; GUSEYNOV, I.A.; DADASHEV, E.K.; DADASHZADE, M.A.; DALIN, M.A.; ISKENDEROV, M.A.; KAZIYEV, M.A.; KARAYEV, A.I.; KASHKAY, M.S.; KEL'DYSH, M.V.; KERIMOV, A.G.; LEMBERANSKIY, A.D.; MAMEDOV, G.K.; MEKHTIYEV, M.R.; MIRZOYEV, S.A.; NAGIYEV, M.F.; NESRULLAYEV, N.I.; ORUDZHEV, A.I.; RADZHAROV, R.A.; RUDNEV, K.N.; SADYKHOV, R.N.; SEMENOV, N.N.; TOPCHIYEV, A.V.; TOPCHIBASHEV, M.A.; TAIROVA, T.A.; KHALILOV, Z.I.; HENDIYEV, G.kh.; SHUFYUROVA, Z.Z.

Iusif Geidarovich Mamedaliev; obituary. Dokl. AN Azerb. SSR 17  
no.12:1123-1126 '61. (MIRA 15:2)  
(Mamedaliev, Iusif Geidarovich, 1905-1961)

EFENDIYEV, G.Kh.; NURIYEV, A.N.

Radioactive elements of the uranium and thorium series in oil  
field formation waters. Azerb.khim.zhur. no.2:113-117 '62.  
(MIRA 16:3)  
(Oil field brines) (Uranium--Decay) (Thorium--Decay)

EFENDIYEV, G.Kh.; ALEKPEROV, R.A.

Use of naphthenic acids as extractants of metals to recover from  
aqueous solutions. Azerb. khim. zhur. no.3:117-124 '62.  
(MIRA 16:12)

EFENDIYEV, G.Kh.; KARAYEV, Z.Sh.

Oxogallates of the elements of the cerium subgroup. Azerb.khim.zhur.  
no.5:119-124 '62. (MIRA 16:5)

(Cerium compounds) (Gallium oxides)

EFENDIYEV, G.Kh.; ALEKPEROV, R.A.

Extraction of selenium and tellurium from sulfuric acid  
sludges by chlorination in an anhydrous medium. Dokl. AN  
Azerb. SSR 18 no.5:15-20 '62. (MIRA 15:7)

1. Institut khimii AN AzSSR. Predstavleno akademikom AN  
AzSSR M.F. Nagiyevym. (Selenium) (Tellurium)  
(Sulfuric acid industry--By-products)

EFENDIYEV, G.Kh.; NURIYEV, A.N.

Leaching of uranium and radium from clays, Azerb.khim.zhur. no.4:  
103-107 '63. (MIRA 17:2)

8  
Reaction of selenides of gallium and a lanthanide (arium and samarium of the type  $A_2^{III}B_3^{VI}$ ). G. Kh. Efendiyev, E. Sh. Karayev, I. O. Nasilov.

Solid solutions in the quasibinary systems  $Ga_2S_3$ - $Ga_2Te_3$  and  $Ga_2S_3$ - $Ga_2Se_3$ .  
P. G. Rustanov, B. I. Mardakhayev, E. Melikova, M. Alidzhanov,  
M. Safarov. (Presented by G. Kh. Efendiyev--10 minutes).

Chemical bonding, structure of the energy zones and some properties of semiconducting compounds of rare earth elements with selenium.  
G. F. Karavayev (10 minutes).

Report presented at the 3rd National Conference on Semiconductor Compounds, Kishinev, 16-21 Sept 1963

MAMEDOV, Z.M.; EFENDIYEV, G.Kh.

New minerals of the Paragachayskoye deposit. Dokl. AN Azerb.  
SSR 19 no.10:35-38 '63. (MIRA 17:6)

1. Institut khimii AN AzSSR.



EFENDIYEV, G.Kh.; ALEKPEROV, R.A.; NURIYEV, A.N.; ZUL'FUGARLY,  
D.I., prof., red.

[Problems in the geochemistry of radioactive elements in  
oil fields] Voprosy geokhimii radioaktivnykh elementov  
neftiannykh mestorozhdenii. Baku, Izd-vo AN Azerb.SSR, 1964.  
149 p.  
(MIRA 17:7)

EFENDIYEV, G.Kh.; KARAYEV, Z.Sh.; NASIROV, I.O.

Interaction of samarium and gallium selenides  $A^{III}_2 B^{VI}_3$ .  
Azerb. khim. zhur. no.1:125-131 '64. (MIRA 17:5)

L 14733-65 EWT(m) EWP(t)/EWP(b) IJP(c) RDW/IN/16

ADDITIONAL NR AP4049804

5032 1 1 1 1 1

Reaction of gallium and neodymium selenide

Azerbaydzhanskij khimicheskiy zhurnal, no. 4, 1964, 111-114

1968 gallium selenide, neodymium selenide, ternary system, gallium selenide

The purpose of this work was to study the

SESSION NR: AP4049804

belongs to the electron conduction type

None

00

ENCL: 00

SUB CODE: DC, EC

00

OTHER: 004

Card 2/2

EFENDIYEV, G.Kh.; KARAYEV, Z.Sh.; NASIBOV, I.O.

Interaction of  $AlI_2BVI_3$  type cerium and gallium selenides.

Izv. AN SSSR. Ser. fiz. 28 no.6:1103-1106 Je '64.

1. Institut khimii AN Azerbaydzhanskoy SSR.

(MIRA 17:7)

2 25676-65 EXT(m)/EWP(t)/EWP(b) IJP(c) RLW/JD/JJ

16

... of the interaction of Shogun and Gagne, was studied, as well as  
... of the ...

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6

OTHER: 000

APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6"

EFENDIYEV, G.Kh.; KARAYEV, Z.Sh.; NASTIROV, I.O.

Interaction of the selenides  $\text{M}_2\text{Se}_3$  of neodymium and gallium.  
Azerb. khim.zhur. no.4:111-114, '64. (MIRA 18:3)



1. The first part of the document is a list of the

2. The second part of the document is a list of the

3. The third part of the document is a list of the

4. The fourth part of the document is a list of the

5. The fifth part of the document is a list of the

6. The sixth part of the document is a list of the

... (1100), stable in the air up to ...

... (1100) ...

... (1100) ...

... (1100) ...

... (1100) ...

... (1100) ...

... (1100) ...

... (1100) ...

... (1100) ...

EFENDIYEV, G.M.; NOVROV, N.A.; GEYDAROV, A.S.

Geochemistry of thallium in the pyrite-complex metal type deposit.  
Izv.AN Azerb.SSR. Ser.geol.-geog.nauk no.1:30-38 '65.

(MIRA 18:8)

1. STALIN. ENT(m)/ENT(f)/ENT(f) 112(2) 11/17

1. M. 112. 112(2) 11/17

1. M. 112. 112(2) 11/17



EFENDIYEV, G.Kh.; GEYDAROV, A.S.; MUSTAFAYEV, G.V.

Geochemistry of lithium, rubidium, and cesium in the granitoids  
of the Lesser Caucasus. Izv. AN Azerb. SSR. Ser. geol.-geog.  
nauk no.3:44-51 '65. (MIRA 18:9)

EFENDIYEV, G.Kh.; SHIK, E.I.

Find of gallium in oil field waters. Geokhimiia no.3:371-372  
Mr '65. (MIRA 18:7)

1. Institut khimii AN AzerbSSR, Baku.

EFENDIYEV, G.Kh.; MAMEDOV, Z.M.; AGAYEVA, F.

Geochemistry of selenium and tellurium in copper-molybdenum  
deposits. Dokl. AN Azerb. SSR 21 no.2:28-32 '65.

(MIRA 18:5)

1. Institut khimii AN AzerSSR.



L 55124-65

ACCESSION NR: APS015451

UR-0249/60/112 0022/0024

Makov, N. N.; Alekperov, R. A.; Efendiev, G. V.

Microelement extraction, particularly in the presence of organic acids in the presence of a microelement extraction

Microelement extraction, particularly in the presence of organic acids in the presence of a microelement extraction

Microelement extraction, particularly in the presence of organic acids in the presence of a microelement extraction

Microelement extraction, particularly in the presence of organic acids in the presence of a microelement extraction

APR 1945

Isotopes: Ru106, Sr90, Y90, Zr90, Nb90, Mo90, Tc90, Rh101, Pd103, Ag107, Cd113, In115, Sn119, Sb121, Te127, I129, Xe131, Ba137, La139, Ce141, Pr143, Nd145, Pm147, Sm147, Eu151, Gd155, Tb159, Dy163, Ho165, Er167, Tm169, Yb171, Lu175, Hf179, Ta181, W183, Re187, Os189, Ir191, Pt195, Au197, Hg199, Tl203, Pb205, Bi207, Po209, At210, Rn214, Fr223, Ra226, Ac227, Th230, Pa231, U233, Np235, Pu239, Am241, Cm245, Bk247, Cf251, Es253, Fm257, Md261, No265, Lr267, Ac227, Th230, Pa231, U233, Np235, Pu239, Am241, Cm245, Bk247, Cf251, Es253, Fm257, Md261, No265, Lr267

AGAYEVA, F.I.; EFFENDIYEV, G.M.; KISLYAKOVA, I.Ye.; AGAYEVA, F.I.

Selenium and tellurium in pyrites. Azerb. khim. zhur. no.2:  
95-99 1965. (MIR/ 18:12)

1. Institut khimii AN AzerSSR. Submitted Jan. 15, 1965.

2  
EFENDIYEV, G.S., Cand Phys-Math Sci — (diss) "Study of points  
of branching<sup>s</sup> and length of solution<sup>s</sup> of ~~the~~ <sup>a single</sup> class of non-linear  
integro-differential equations." Baku, 1959. 12 pp (Min of  
Higher Education USSR. Azerbaydzhan State U in S.M. Kirov).  
100 copies (KL, 39-59, 101)

12

EFENDIYEV, G.S.

A theorem of a single-valued extension of the solution of a class  
of nonlinear integrodifferential equations. Uch. zap. AGU. Fiz.-  
mat. i khim. ser. no. 2:23-36 '59. (MIRA 13:12)  
(Integral equations)

EFENDIYEV, G.S.

Many-valued extensibility of the solution of one class of nonlinear  
integrodifferential equations. Uch. zap. AGU Fiz.-mat. i khim  
ser. no.3:9-24: '59. (MIRA 14:3)  
(Integrodifferential equations)

L 13237-63

EWI(d)/FCC(w)/BDS

AFFTC

Pg-4

IJP(C)

S/044/63/000/003/034/047

56

AUTHOR: Efendiyev, G. S.

TITLE: On some properties of solutions of one class of nonlinear integro-differential equations 16

PERIODICAL: Referativnyy Zhurnal, Matematika, no. 3, 1963, 69, Abstract 3B312 (Uch. Zap. Azerb. Un-t. Ser. Fiz. -Matem. i Khim. Nauk, no. 4, 1961, 47-57).

TEXT: The author examines the integro-differential equation

$$F(x, u(x), \lambda) = \int_0^1 g(\lambda, x, s, u'(s), \dots, u^{(n)}(s))ds. \quad (1)$$

It is assumed that  $F(x, u_0, \lambda)$  and  $g(\lambda, x, s, u_0, u_1, \dots, u_n)$  are  $n$  times differentiable in respect of  $x$ , and that they are continuous along with the derivatives in respect to  $s, x$ ; in addition  $F_k$  and  $g_k$ , where

Card 1/2

L 13237-63

S/044/63/000/003/034/047

On some properties of solutions.....

$$F_k = \frac{\partial^k F}{\partial x^k} \text{ and } g_k = \frac{\partial^k E}{\partial x^k} \quad (k = 0, 1, 2, \dots, n) \text{ are analytic in } \lambda, u_0$$

$u_1, \dots, u_n$ . Equation (1) is reduced to the system

$$F_k(x, u_0(x), \lambda) = \int_0^1 g_k(\lambda, x, s, u_0(s), u_1(s), \dots, u_n(s)) ds. \quad (2)$$

It is assumed that when  $\lambda = \lambda_0$  the system (2) has the solution  $U_0(x) = (u_{00}(x), u_{10}(x), \dots, u_{n0}(x))$  and sufficient conditions are established such that in some neighborhood of the point  $\lambda_0$  the system (2) has the unique solution  $U(x, \lambda)$  continuous for  $x$  and analytic for  $\lambda$ .

[Abstracter's note: Complete translation.]

Card 2/2



EFENDIYEV, G.T.

Changes in the blood picture during the acclimatization of Brown  
Latvian Cattle imported into Azerbaijan. Trudy Sek. fiziol. AN  
Azerb. SSR 4:80-87 '60. (MIRA 15:1)  
(AZERBAIJAN DAIRY CATTLE) (BLOOD ANALYSIS AND CHEMISTRY)  
(ACCLIMATIZATION)

EFENDIYEV, I.

PA 48/49T55

USSR/Medicine - History Mar/Apr 49  
Medicine - Medicine, in Armenia

"Review of L. A. Oganesyan's Book, 'History of  
Medicine in Armenia,'" I. Efendiyev, 5 pp

"Sov Zdravookhran" No 2

Subject book is a remarkable and instructive  
medical work. However, book contains substantial  
errors and shortcomings, which collectively lead  
to a distortion of facts regarding Armenian  
medical history.

48/49T55

EFENDIYEV, I. K.

"In Honor of the Centennial Anniversary of I.P.Pavlov," Sov. zdrav., No.4,  
1949

1. EFENDIYEV, I. K.
2. USSR (600)
4. Avicenna, 9807-1037
7. Abu-Aly al-Husayn Ibn-Abudullah ibn Sina (Avicenna). I. K. Efendiyev.  
Fel'd.a akush No. 6 1952.
9. Monthly List of Russian Accessions, Library of Congress, September 1952.  
UNCLASSIFIED.

EFENDIYEV, I. K. ..

1. ~~YEFENDIYEV, I. K.~~

2. USSR (600)

4. Avicenna, 980?-1037

7. Abu-Ali Ibn-Sinna's (Avicenna's) views on psychoneurology. Shur. nevr. i psikh  
52 no. 10, 1952

9. Monthly List of Russian Accessions, Library of Congress, January 1953, Unclassified.

EFENDIYEV, I.K., doktor med. nauk; EFENDIYEV, E.M., prof., red.;  
SULTANOV, M.S., red.

[History of medicine in Azerbaijan from ancient times to  
the 19th century] Istoriia meditsiny v Azerbaidzhane s  
drevneishikh vremen do XIX veka. Baku, Izd-vo AN Azerb.SSR,  
1964. 277 p. (MIRA 17:8)

EFENDIYEV, K. I.

EFENDIYEV, K. I.: "Investigation of anode oscillations in gas discharge."  
Published by the Azerbaydzhan U. Min Higher Education USSR. Azer-  
baydzhan State U imeni S. M. Kirov. Moscow, 1956. (Dissertation for  
the Degree of Candidate in Physicomathematical Science.)

Knizhnaya letopis', No. 30, 1956. Moscow.

**EFENDIYEV, K.I.**

Anodic fluctuations in arc discharges through mercury vapors.

Report No.1. Uch.zap.AOU. no.8:9-22 '57.

(MIRA 11:11)

(Electronic discharges through gases) (Mercury)



EPENDIYEV, K.I.

Anodic fluctuations in discharges through inert gases. Uch.zap.  
AGU no.9:23-40 '57. (MIRA 11:11)  
(Electric discharges through gases)  
(Gases, Rare)

24(3), 9(4)

SOV/48-23-8-17/25

AUTHORS:

Zaytsev, A. A., Efendiyev, K. I.

TITLE:

An Investigation of Anode Oscillations in Low-pressure Discharges

PERIODICAL:

Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1959, Vol 23, Nr 8, pp 1012-1016 (USSR)

ABSTRACT:

Anode oscillations in electric-arc discharges in mercury vapor were investigated by the authors on a liquid cathode, as well as discharges in rare gases by using an oxide cathode. By investigation of the discharge in mercury vapor, the action of the geometric shape of the anode on the oscillation was studied. For this purpose a three-section electrode, a pin electrode, and a cylinder electrode were used. It was found that anode oscillations occur sooner for smaller dimensions of the anode, and that for this case a more or less ordered oscillation results, if the luminescence contracts at any spot of the anode surface. The oscillation is further investigated, and it is finally pointed out that a pressure drop in mercury vapor and an increase of the discharge current amplifies the amplitude of oscillation. In the diagrams of figures 1 and 2 the influence

Card 1/3

SOV/48-23-8-17/25

## An Investigation of Anode Oscillations in Low-pressure Discharges

of pressure on the amplitude of the anode oscillation and the amount of the anode drop is represented for investigations in rare gases. As stated by the values of table 1, the diminution of the anode causes an increase of the amplitude and of the frequency of the anode oscillation. The investigations show that the anode drop is steady for pressures of above  $3 \cdot 10^{-1}$  torr, but holds an oscillation below this pressure. Further, the effect of the kind of gas on the anode oscillation is investigated, and it was found that frequency decreases with increasing gas mass. The two forms of the anode drop already described by Langmuir are discussed, and it is finally found that the range of the anode is unsteady for a small anode, and that the anode drop exhibits an oscillation. This oscillation is said to be a relaxation oscillation and causes a periodic change of the gas conductivity at the cathode. This oscillation is not accompanied, however, by a wavelike process expanding over the whole positive column. There are 5 figures, 2 tables, and 5 references, 4 of which are Soviet.

Card 2/3

SOV/48-23-8-17/25

An Investigation of Anode Oscillations in Low-pressure Discharges

ASSOCIATION: Moskovskiy gos. universitet im. M. V. Lomonosova, Fizicheskiy  
fakul'tet (Moscow State University imeni M. V. Lomonosov,  
Department of Physics)

Card 3/3

EFENDIYEV, K.I.

Possible occurrence of moving striations in a mercury discharge.

Uch. zap. AGU. Ser. fiz.-mat. i khim. nauk no.5:137-144 '61.  
(MIRA 16:6)

(Electric discharges through gases)

PRAZYAN, I., kand. ekon. nauk; EFENDIYEV, Kh., red.

[The Transcaucasian Economic Region] Zakavkazskii ekonomicheskii raion. Baku, Azerbaidzhanskoe gos. izd-vo, 1964. 61 p. (MIRA 18:5)

1. Chlen Obshchestva "Znaniye" Azerbaydzhanskoy SSR (for Prazyan).

KADYROVA, T.K.; EFENDIYEV, M., red.; MUSTAFAYEVA, S., red.; BAGIROVA, S.,  
tekhn. red.

[Leucosis and the nervous system; clinical and morphological  
studies] Leikozy i nervnaia sistema; kliniko-morfologicheskie is-  
sledovaniia. Baku, Azerbaidzhanskoe gos.izd-vo, 1961. 229 p.  
(MIRA 16:2)

(NERVOUS SYSTEM--DISEASES) (LEUKEMIA)

EFENDIEV, M. E.

24389 EFENDIEV, M. E. Diagnostika malyarii v nezhdetskiy i klinicheskiy period. Investiya Akad. nauk Azerbaydz. SSR, 1949, No. 7, S. 48-52. - Rezjume na azerbajdz. Yaz.

SO: Letopis, No. 32, 1949.



EFENDIYEV, M. E.

58/49T68

USSR/Medicine - Diseases, Internal - Feb 49

Organ  
Medicine - Bromides, Effect of

"The Use of Bromides in Certain Diseases of the Internal Organs," Prof M. E. Efendiyev, Dir, Second Clinic of Diagnostics and Local Path of Internal Organs F. Ali-Zade, T. Asadova, B. Bagirova, Sh. Kasimov, D. Rustambekova, Second Clinic of Diagnostics and Local Path of Internal Organs, Azerbaijan Med Inst, Baku, 4 pp

"Klin Med" Vol XVII, No 2

Intravenous injection of a 10% sodium bromide solution, prepared in a 40% glucose solution, showed a positive effect in 23 of 25 bronchial asthma cases. Treatment of gastric and duodenal ulcers with bromides (together with atropine) was effective in a majority of cases. Best results in treatment of hypertension were obtained by using daily injections of a 10% sodium bromide solution in conjunction with diathermy in the region of the kidneys.

58/49T68

EFENDIYEV, M.E. professor

"Health resorts in Azerbaijan." Sh.M. Gasanov. Reviewed by M.E.  
Efendiev. Vop.kur.fisioter. i lech.fiz.kul't. no.3:74-75 J1-Sp  
'55. (MLRA 8:8)  
(AZERBAIJAN--HEALTH RESORTS, WATERING PLACES, ETC.)  
(GASANOV, Sh.M.)

EFENDIYEV, M.E.

DZHAMALBEKOV, B.A.; EFENDIYEV, M.E., professor, redaktor; VARSHAVSKAYA, A., redaktor; DZHABAROVA, S., tekhnicheskij redaktor.

[Mardakany health resort] Kurort Mardakany. Baku, Azerbaidzhan-  
skoe gos.isd-vo, 1956. 80 p. (MIRA 10:11)  
(MARDAKYANY) (HEALTH RESORTS, WATERING PLACES, ETC.)

MEHEDIYEV, M. F.

First conference of therapists of the Azerbaijanian S.S.R.  
Terap.arkh. 28 no.5:86 '56. (MLRA 9:10)  
(AZERBAIJAN—THERAPEUTICS)

*EFENDIYEV*

EFENDIYEV, M.E., prof.; BEDALOVA, S.M., kand.med.nauk (Baku)

Krysimine as a cardiovascular durg. Klin.med. 35 [i.e.34] no.1  
Supplement:10 Ja '57. (MIRA 11:2)

1. Iz kafedry propedevtiki bnutrennikh bolezney (zav. - prof. M.E.  
Efendiyev) Azerbaydzhanskogo meditsinskogo instituta.  
(CARDIAC GLYCOSIDES)

EFENDIYEV, M.E., prof., BEDALOVA, S.M., kand.med.nauk

~~Cymarin therapy in cardiac insufficiency.~~ Azerb.med.zhur. no.5:85-88  
My'58 (MIRA 11:6)

1. In II kafedry propedavtiki i vnutrnnikh bolezney (zav. - prof.  
M.E. Efendiyev) Azerbaydzhanskogo gosudarstvennogo meditsinskogo  
instituta.im. N. Narimanova.

(CYMARIN)

(BLOOD-CIRCULATION, DISORDERS OF)

**EFENDIYEV, M.E., prof. zaslyzhenyy deyatel' nauki**

Conservative therapy in chronic inflammations of the biliary tract.  
Azerb.med.zhur. no.9:51-53 '58 (MIRA 11:11)

1. Iz kafedry propedevtiki vnu trennikh bolezney (zav. - zaslushenny  
deyatel' nauki prof. M.E. Efendiyev) Azerbaydzhanskogo gosudarstvennogo  
meditsinskogo instituta im. N.Narimanova (direktor - zaslushenny  
deyatel' nauki prof. B.A. Eyvazov.)  
(BILIARY TRACT--DISEASES)

MEYENDIYEV, M.E., prof.

Azerbaijani physicians in the past. Azerb.med.zhur. no.11:80-83  
N '59. (MIRA 13:4)

(AZERBAIJAN--PHYSICIANS--BIOGRAPHY)



~~BEFENDIYEV~~, M.H., prof.; BEDALOVA, S.H., kand.med.nauk; AKHUNDOV, D.E., kand.  
med.nauk (Baku)

Effect of mountain conditions on arterial pressure. Klin.med.  
37 no.7:59-62 J1 '59. (MIRA 12:10)

1. Iz kafedry propedevtiki vnutrennikh bolezney Azerbaydzhanskogo  
meditsinskogo instituta imeni N.Narimanova. 2. Zasluzhennyy  
doyatel' nauki Azerbaydzhanskoy SSR (for Befendiyev).  
(BLOOD PRESSURE physiol.)  
(ALTITUDE eff.)

SAMEDOV, S.I.; STRIGUNOV, I., red.; EFENDIYEV, M.E., red.; AKHMEDOV, S.,  
tekhn. red.

[Public health in Iranian Azerbaijan on the eve of and during the  
period of the national liberation and democratic movement, 1945-1946]  
Zdravookhranenie v Iranskom Azerbaidzhane nakanune i v period na-  
tsional'no-osvoboditel'nogo i demokraticheskogo dvizhenia, 1945-1946 g.  
Baku, Azerbaidzhanskoe gos. izd-vo, 1960. 146 p. (MIRA 14:7)  
(IRAN—PUBLIC HEALTH)

EFENDIYEV, M.E.

Novocaine in the treatment of internal diseases. Azerb. med. zhur.  
no. 8:3-7 Ag '60. (MIRA 13:8)

(NOVOCAINE) (MEDICINE, INTERNAL)

NAZIROV, M.R., prof.; MELIKOVA, T.A., kand. med. nauk; <sup>E</sup>EFENDIYEV, M., red.;  
MUSTAFAYEVA, S., red.; WIRKISHIYEVA, S., tekhn. red. ^

[Colitis and accompanying cholecystitis and hepatocholecystitis] Ko-  
lity i soputstvuyushchie im kholestsistity i gepatokholestsistity. Ba-  
ku, Azerbaidzhan'skoe gos. izd-vo, 1961. 62 p. (MIRA 14:8)  
(INTESTINES—DISEASES) (GALL BLADDER—DISEASES)

EFENDIYEV, M.E.; KUDARI, N.R.

Use of dionine electrophoresis in the treatment of bronchial asthma.  
Azerb. med. zhur. no.7:55-56 J1 '61. (MIRA 15:1)  
(ELECTROPHORESIS) (DIONINE)  
(ASTHMA)

EFENDIYEV, M.E., zasluzhennyy deyatel' nauki, prof. (Baku)

Fictional literature as a historical source in the study of medicine  
in the Middle Ages. Klin.med. no.12:115-118 '61. (MIRA 15:9)

1. Iz kafedry propedevtiki vnutrennikh bolezney (zav. - zasluzhennyy  
deyatel' nauki prof. M.E. Efendiyev) Azerbaydzhanskogo gosudarst-  
vennogo meditsinskogo instituta imeni N. Narimanova (dir. -  
zasluzhennyy deyatel' nauki prof. B.A. Eyvazov).  
(MEDICIENE) (MEDICINE, MEDIEVAL)

EFFENDIYEV, M.F., prof., zaslushennyi deyatel' nauki

History of the development of Istisu Health Resort. Sbor. trud.  
Azerb. nauch.-issl. inst. kur. i fiz. metod. lech. no.9:  
3-7 '63. (MIRA 18:8)

EFENDIYEV, M.E.; KUDARI, N.G.; KHANLAROVA, Kh.

Diagnostic significance of the reaction for C-reactive protein  
and the iodine test. Azerb. med. zhur. 42 no.9:40-44 S '65.  
(MIRA 18:11)



EFENDIYEV, M. M.

23412 MASHINA DLYA KOPKI YAM LOD POSADKU MNOGOLETNIKH KUL'TUR.  
VINODELIYE I VINOGRADARSTVO SSST, 1949, No. 7, c. 37-38.

SO: LETOPIS NO. 31, 1939.

ALIYEV, G.A., akademik; EFENDIYEV, M.M.

Viticultural Azerbaijan. Priroda 54 no.11:80-87 '65.

(MIRA 18:11)

1. AN AzSSR (for Aliyev). 2. Ministerstvo sel'skogo khozyaystva  
Azerbaydzhanskoy SSR, Baku (for Efendiyev).

EFENDIYEV, M.R.

Preliminary report on the results of the introduction of  
ginseng into the Zakataly National Forest of Azerbaijan S.S.R.  
Mat. k izuch. zhen'. i drug. lek. rast. Dal'. Vost. no.5:69-70  
'63. (MIRA 17:8)

1. Zakatal'skiy gosudarstvennyy zapovednik.

NAZIROV, M.R., prof.; BABAYEV, Dzh.; KPRANDIYEV, M.Ye., red.; AKHMEDOV, M.,  
red.; BAGIROVA, S., tekhn.red.

[Brucellosis; pathogenesis, clinical aspects, and treatment]  
Brutselles; patogenez, klinika i lechenie. Baku, Azerbaidzhanakoe  
gos.isd-vo, 1960. 174 p. (MIRA 14:3)  
(BRUCELLOSIS)